Sanitized - Approved For Release : CONFIDED TO 1000 10007

CLASSIFICATION SPENET/CO TROL - U. S. SPETCHILD KLY

CENTRAL INTELLIGENCE AGENCY

REPORT NO.

INFORMATION REPORT

CD NO.

COUNTRY Belgium

DATE DISTR. 15 Dec. 1949

SUBJECT

Soviet Commercial Mission in Brussels Seeks Precision Measuring Apparatus

NO. OF PAGES

PLACE ACQUIRED

25X1A

Return to CIA Library NO. OF ENCLS.

SUPPLEMENT TO REPORT NO.

DATE OF INFO. 25X1X

The Soviet Commercial Mission in Brussels has made inquiries of several

Belgian optical firms regarding the prices of the following equipment:

- Surveying equipment.
- apparatus for measuring the speed of sirplanes.
- Apparatus for measuring the speed of projectiles.
- Apparatus for interior ballistics studies. This equipment for determining the pressure curve must fulfill the following requirements:
 - 1. It must measure and register a pressure curve varying from C-600 kg/cm2 per cm. of travel along barrel to a final pressure of 0.
 - Time during which pressure increases gauged at about 0.001 of a second.
 - Telerance approximately 1%.
 - 4. Must include:
 - 1 piezoelectric pressure cell.
 - Electronic amplifier.
 - Oscillograph with photographic attachment
 - Oscillator.
 - Timing wheel.
 - Compensation dynamometer.
 - Auxiliary accessories (relays, distribution boxes, circuit balancing "wheel" (sic), equipment for measuring barrel-rifling grooves).

JLASSIFICATION * I NAVY Y NSRB STATE × AIR This document is nevery regraded to CONFIDENTIAL in accordance with the letter of 13 October 1978 from the Director of Central Intelligence to the Archivist of the Sanitazendes Approved For Release : CIA-RDP82-004 004000010007 Date: 2 5 MAY 1978 Next Review Date: 2008

Sanitized - Approved For Release : CIA-RDF - PAFTED DE 10007-3

SECRET/CONTROL - U. S. OFFICIALS ONLY

CENTRAL INTELLIGENCE AGENCY



- 2 -

- E. A Kinotheodolite System with two or three positions, a central station and an assortment of replaceable parts and accessories, as well as a description and instructions. The stations can be similar to those of the firm Askania Werke.
- F. Six phototheodolites to take pictures of objects moving in space. It must be equipped with a light lens having a strength of f5.5; synchronization of the shots must be at 0.001 of a second; and the dimensions of the photographic plate must be 13×18 cm. It must also be equipped with extra parts, a description and instructions for its operation.

SECRET/CONTROL - U. S. OFFICIALS ONLY

CONFIDENTIAL

Sanitized - Approved For Release : CIA-RDP82-00457R004000010007-3